# Safety Data Sheet
## according to Regulation (EC) No. 1907/2006 (REACH)

| | | | |
|---|---|---|---|
| **Trade name :** | Racing Cleaner 2.0 500ml | | |
| **Revision date :** | 09.02.2026 | **Version (Revision) :** | 4.0.0 (3.0.0) |
| **Print date :** | 22.06.2026 | | |

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier
Racing Cleaner 2.0 500ml
Unique Formula Identifier (UFI) : 75HT-FYD7-VN0E-QS4J

### 1.2 Relevant identified uses of the substance or mixture and uses advised against
#### Relevant identified uses
Non-metal surface treatment products

### 1.3 Details of the supplier of the safety data sheet
#### Supplier
HOLMENKOL GmbH
**Street :** Monrepos 7
**Postal code/City :** 71634 Ludwigsburg
**Country :** Deutschland
**Telephone :** +49 7141 3894 0
**Telefax :** +49 7141 3894 100
**Information contact :** info@eimermacher.de
www.eimermacher.de

### 1.4 Emergency telephone number
siehe Telefonnummer des Herstellers (während normaler Geschäftszeiten) oder:

Tox Info Suisse: 145 (24-h-Notrufnummer)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture
#### Classification according to Regulation (EC) No 1272/2008 [CLP]
Flam. Liq. 3 ; H226 - Flammable liquids : Category 3 ; Flammable liquid and vapour.
STOT SE 3 ; H336 - STOT-single exposure : Category 3 ; May cause drowsiness or dizziness.
Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.
Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

### 2.2 Label elements
#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]
**Hazard pictograms**

Flame (GHS02) · Health hazard (GHS08) · Exclamation mark (GHS07)
**Signal word**
Danger
**Hazard components for labelling**
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics
NAPHTHA (PETROLEUM), HYDROTREATED HEAVY ; CAS No. : 64742-48-9
**Hazard statements**
H226 Flammable liquid and vapour.

| | |
|---|---|
| H304 | May be fatal if swallowed and enters airways. |
| H336 | May cause drowsiness or dizziness. |
| H412 | Harmful to aquatic life with long lasting effects. |

**Precautionary statements**

| | |
|---|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261 | Avoid breathing vapours. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P301+P310 | IF SWALLOWED: Immediately call a doctor. |
| P331 | Do NOT induce vomiting. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to to hazardous or special waste collection point |

### 2.3 Other hazards

#### Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Hazardous ingredients**

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics ; REACH No. : 01-2119471843-XXXX ; EC No. : 927-241-2

| | |
|---|---|
| Weight fraction : | ≥ 60 - < 65 % |
| Classification 1272/2008 [CLP] : | Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 STOT SE 3 ; H336 Aquatic Chronic 3 ; H412 EUH066 |

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY ; REACH No. : 01-2119486659-16--XXXX ; EC No. : 265-150-3; CAS No. : 64742-48-9

| | |
|---|---|
| Weight fraction : | ≥ 35 - < 40 % |
| Classification 1272/2008 [CLP] : | Asp. Tox. 1 ; H304 |

Hydrocarbons, C8-C9, isoalkanes ; REACH No. : 01-2119548335-31 ; EC No. : 932-020-9; CAS No. : 246538-71-6

| | |
|---|---|
| Weight fraction : | ≥ 1 - < 2,5 % |
| Classification 1272/2008 [CLP] : | Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 Skin Irrit. 2 ; H315 STOT SE 3 ; H336 Aquatic Chronic 2 ; H411 |

**Additional information**

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

In case of respiratory tract irritation, consult a physician. Remove casualty to fresh air and keep warm and at rest.

#### In case of skin contact

In case of skin reactions, consult a physician. Wash immediately with: Water and soap

### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Seek medical advice immediately (poison centre).

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms**

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known.
In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

## 4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

Foam , Carbon dioxide (CO2) , Dry extinguishing powder , Sand , Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

Full water jet , Strong water jet

## 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

## 5.3 Advice for firefighters

### Special protective equipment for firefighters

Full protection suit , Use suitable breathing apparatus.

## 5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

# SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

## 6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists
Handle and open container with care. Use only in well-ventilated areas.

### Protective measures

**Measures to prevent fire**

Usual measures for fire prevention. Always close containers tightly after the removal of product.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.
Protect against UV-radiation/sunlight , Heat.

### Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

## 7.3 Specific end use(s)

Observe instructions for use. see section 1.2

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### DNEL-/PNEC-values

**DNEL/DMEL**

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

| | |
|---|---|
| Limit value type : | DNEL/DMEL (Consumer) |
| Exposure route : | Dermal |
| Exposure frequency : | Long-term |
| Limit value : | > 5000 mg/kg |
| Limit value type : | DNEL/DMEL (Consumer) |
| Exposure route : | Inhalation |
| Exposure frequency : | Long-term |
| Limit value : | > 4951 mg/kg |
| Limit value type : | DNEL/DMEL (Industrial) |
| Exposure route : | Dermal |
| Exposure frequency : | Long-term |
| Limit value : | > 5000 mg/kg |
| Limit value type : | DNEL/DMEL (Industrial) |
| Exposure route : | Inhalation |
| Exposure frequency : | Long-term |
| Limit value : | > 49510 mg/kg |

## 8.2 Exposure controls

### Personal protection equipment

Use personal protection equipment.

### Eye/face protection

Eye glasses with side protection EN 166

### Skin protection

**Hand protection**

**By short-term hand contact** : Suitable gloves type Disposable gloves. NBR (Nitrile rubber)
**By long-term hand contact** : Check leak tightness/impermeability prior to use.
Suitable material CR (polychloroprene, chloroprene rubber) , NBR (Nitrile rubber) , Butyl caoutchouc (butyl rubber)

, NR (natural rubber, Natural latex)
Breakthrough time 480 min
Thickness of the glove material Polychloroprene - CR (0.5 mm) Nitrile rubber/nitrile latex - NBR (0.35 mm) Butyl rubber - Butyl (0.5 mm)

**Required properties** : When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

**Remark** : Check leak tightness/impermeability prior to use. Breakthrough times and swelling properties of the material must be taken into consideration.

**Body protection**

Wear anti-static footwear and clothing
Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres
Chemical resistant safety shoes DIN EN 13832-2

### Respiratory protection

Usually no personal respirative protection necessary.

### General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Liquid

**Colour :** colourless

**Odour :** characteristic

### Safety characteristics

| | | | | |
|---|---|---|---|---|
| **Physical state :** | | | Liquid | |
| **Melting point/freezing point :** | | | not determined | |
| **Initial boiling point and boiling range :** | ( 1013 hPa ) | > | 100 | °C |
| **Decomposition temperature :** | | | not determined | |
| **Flash point :** | | | 28,2 | °C |
| **Auto-ignition temperature :** | | | not applicable | |
| **Lower explosion limit :** | | | not applicable | |
| **Upper explosion limit :** | | | not applicable | |
| **Vapour pressure :** | ( 50 °C ) | | not applicable | |
| **Density :** | ( 20 °C ) | | 0,75 - 0,76 | g/cm³ |
| **Water solubility :** | ( 20 °C ) | | not determined | |
| **Fat solubility :** | ( 20 °C ) | | Not determined. | |
| **pH :** | | | not applicable | |
| **log P O/W :** | | | not determined | |
| **Viscosity :** | ( 20 °C ) | | not determined | |
| **Cinematic viscosity :** | ( 40 °C ) | | not relevant | |
| **Odour threshold :** | | | not determined | |
| **Relative vapour density :** | ( 20 °C ) | | not determined | |
| **Vapourisation rate :** | | | not determined | |
| **Maximum VOC content (EC) :** | | | 99,2 | Weight-% |
| **Maximum VOC content (Switzerland) :** | | | 99,2 | Weight-% |
| **Flammable solids :** | Not applicable. | | | |
| **Flammable gases :** | Not applicable. | | | |
| **Oxidising liquids :** | Not relevant. | | | |
| **Explosive properties :** | Not applicable. | | | |
| **Corrosive to metals :** | Not relevant. | | | |

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity
No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability
The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions
No known hazardous reactions.

### 10.4 Conditions to avoid
See section 7 of the safety data sheet.

### 10.5 Incompatible materials
None known.

### 10.6 Hazardous decomposition products
Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity
Based on available data, the classification criteria are not met.

#### Corrosion
Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation
Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
**Carcinogenicity**
Based on available data, the classification criteria are not met.
**Germ cell mutagenicity**
Based on available data, the classification criteria are not met.
**Reproductive toxicity**
Based on available data, the classification criteria are not met.

#### STOT-single exposure
May cause drowsiness or dizziness.

#### STOT-repeated exposure
Based on available data, the classification criteria are not met.

#### Aspiration hazard
May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards
Endocrine disrupting potential:
The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity
The product has not been tested.The statements on toxicology were derived from the properties of the individual components.

## SECTION 12: Ecological information

### 12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the single components.

#### Aquatic toxicity

Harmful to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.8 Additional ecotoxicological information

**Additional information**

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

(CH: Verordnung über den Verkehr mit Abfällen (VeVA), Verordnung über die Vermeidung und die Entsorgung von Abfällen (VVEA)) Dispose according to legislation.

### 13.2 Additional information

Non-contaminated packages may be recycled. P501 - Return partially emptied packaging/container/can to the point of sale or to a special waste collection point. Dispose of empty packaging/container/can to municipal waste.

## SECTION 14: Transport information

### 14.1 UN number or ID number

UN 3295

### 14.2 UN proper shipping name

**Land transport (ADR/RID)**

HYDROCARBONS, LIQUID, N.O.S. ( Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics · NAPHTHA (PETROLEUM), HYDROTREATED HEAVY )

**Sea transport (IMDG)**

HYDROCARBONS, LIQUID, N.O.S. ( Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics · NAPHTHA (PETROLEUM), HYDROTREATED HEAVY )

**Air transport (ICAO-TI / IATA-DGR)**

HYDROCARBONS, LIQUID, N.O.S. ( Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics · NAPHTHA (PETROLEUM), HYDROTREATED HEAVY )

### 14.3 Transport hazard class(es)

**Land transport (ADR/RID)**

**Class(es) :** 3
**Classification code :** F1
**Hazard identification number (Kemler No.) :** 30
**Tunnel restriction code :** D/E
**Special Provisions :** LQ 5 l · E 1
**Hazard label(s) :** 3

**Sea transport (IMDG)**
**Class(es) :** 3
**EmS-No. :** F-E / S-D
**Special Provisions :** LQ 5 l · E 1
**Hazard label(s) :** 3

**Air transport (ICAO-TI / IATA-DGR)**
**Class(es) :** 3
**Special Provisions :** E 1
**Hazard label(s) :** 3

### 14.4 Packing group
III

### 14.5 Environmental hazards
**Land transport (ADR/RID) :** No
**Sea transport (IMDG) :** No
**Air transport (ICAO-TI / IATA-DGR) :** No

### 14.6 Special precautions for user
None

### 14.7 Maritime transport in bulk according to IMO instruments
No transport as bulk according to IBC Code.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
**EU legislation**
**Authorisations and/or restrictions on use**
**Restrictions on use**
**Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)**
Use restriction according to REACH annex XVII, no. : 3, 40, 75

**National regulations**
CH: Chemicals Ordinance, ChemO

**Other regulations, restrictions and prohibition regulations**
**Switzerland**
**VOCV-Regulation**
See section 9.1

### 15.2 Chemical Safety Assessment
A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture/preparation a chemical safety assessment has been carried out :

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics ; REACH No. : 01-2119471843-XXXX ; EC No. : 927-241-2

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY ; REACH No. : 01-2119486659-16--XXXX ; EC No. : 265-150-3; CAS No. : 64742-48-9

Hydrocarbons, C8-C9, isoalkanes ; REACH No. : 01-2119548335-31 ; EC No. : 932-020-9; CAS No. : 246538-71-6

## SECTION 16: Other information

### 16.1 Indication of changes

14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Sea transport (IMDG) · 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road
ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways
ATE = Estimated values for acute toxicity
AwSV = Ordinance on Installations for Handling Substances Hazardous to Water
CAS = Chemical Abstract Service Number
CE = European Community
CLP = EC Regulation 1272/2008
CMR = cancerogen mutagen reprotoxic
DIN = German Institute for Standardisation
DNEL = Derived No Effect Level
DMEL = Derived Minimum Effect Level
EC50 = Mean effective concentration that induces a defined effect other than death in a test population
EG = European Community
EN = European standards
IATA = International Air Transport Association Dangerous Goods Regulation
IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities
IMDG = International Maritime Code for dangerous goods
ISO = International Organization for Standardization
LC50 = Lethal Concentration 50%
LD50 = Lethal dose 50%
MAK = Maximum workplace concentration
MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter
NOEC = No Observed Effect Concentration
OECD = Organisation for Economic Cooperation and Development
PBT = Persistent, bioaccumulative and toxic
pH = potential of hydrogen
PNEC = Predicted no effect concentration
PPM = parts per million
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)
RID = Regulation concerning the international transport of dangerous goods by train
TRGS = Technical rules for hazardous substances (german rules)
TWA = Time-weighted average exposure limit
UN-Number = UN number for the transport of dangerous goods
vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation
VOC = Volatile organic Compounds

### 16.3 Key literature references and sources for data

Storage of hazardous substances" guidelines, 3rd revised and updated edition 2018

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

### 16.5 Relevant H- and EUH-phrases (Number and full text)

| | |
|---|---|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

EUH066 Repeated exposure may cause skin dryness or cracking.

## 16.6 Training advice

None

## 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.